


Sep.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



5	Brass	Tin plating 1#MIN over nickel 1#MIN			
4	Brass	Tin plating 1#MIN over nickel 1#MIN			
3	Copper alloy	(Contact area: lead) Gold plating 0.03#MIN over nickel 1#MIN (Other) Nickel plating 1#MIN	9	(Connector)	
2	LCP	(Black) UL94V-0	8	Polystyrene	
1	LCP	(Gray) UL94V-0	7	Polyester	
			6	Polystyrene	
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
UNITS mm		SCALE 5 : 1	COUNT 	DESCRIPTION OF REVISIONS	DESIGNED CHECKED DATE
HIROSE ELECTRIC CO., LTD.		APPROVED : HS. SAKAMOTO	20200309	DRAWING NO.	EDC-381457-98-00
		CHECKED : FN. TAMURA	20200309	PART NO.	FH28KH-80S-0.5SH(98)
		DESIGNED : KN. KOBAYASHI	20200306	CODE NO.	CL586-1874-0-98
		DRAWN : NM. YONEYAMA	20200306		

Sep.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

