1-1600960-7 ✓ ACTIVE

MULTI-BEAM

TE Internal #: 1-1600960-7 Receptacle Contact, Gold (Au), 300 VAC / 60 VAC, 300 VDC / 60 VDC, 10 – 8 AWG, 5 – 8 mm² Wire, 10382 – 16507 CMA, Crimp, Copper Alloy, Power

View on TE.com >

Connectors > Contacts > Connector Contacts



Contact Type: Receptacle

Contact Mating Area Plating Material: Gold (Au)

Wire Contact Termination Area Plating Material: Tin

Operating Voltage: 60 VDC, 300 VDC

Features

Product Type Features



Sealable	No
Electrical Characteristics	
Operating Voltage	60 VDC, 300 VDC
Contact Features	
Contact Underplating Material	Nickel
Contact Orientation	Straight

Contact Underplating Material Thickness

Contact Mating Area Plating Material Thickness

Wire Contact Termination Area Plating Material Finish

Wire Contact Termination Area Plating Thickness

Barrel Type

Contact Type

Contact Mating Area Plating Material

Wire Contact Termination Area Plating Material

Contact Retention Within Housing

.76 μm[30 μin] Matte

50 – 100 μm[50 – 100 μin]

1.27 – 2.54 μm[50 – 100 μin]

Open

Receptacle

Gold (Au)

Tin

Without

& For support call+1 800 522 6752

03/28/2025 01:08AM | Page 1

1-1600960-7

Receptacle Contact, Gold (Au), 300 VAC / 60 VAC, 300 VDC / 60 VDC, 10 – 8 AWG, 5 – 8 mm² Wire, 10382 – 16507 CMA, Crimp, Copper Alloy, Power



Contact Base Material	Copper Alloy
Contact Current Rating (Max)	42 A
Termination Features	
Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Compatible Insulation Diameter Range	4.4 – 6.9 mm[.176 – .272 in]
Wire Size	10382 – 16507 CMA
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Quantity	1000

Packaging Method

Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU Cor	ompliant
EU ELV Directive 2000/53/EC Cor	ompliant
China RoHS 2 Directive MIIT Order No 32, 2016 No	o Restricted Materials Above Threshold
(247 Car (247	andidate List Declared Against: JAN 2025
	w Halogen - Br, Cl, F, I < 900 ppm per omogenous material. Also BFR/CFR/PVC ee
Solder Process Capability Not	ot applicable for solder process capability

Product Compliance Disclaimer

1-1600960-7

Receptacle Contact, Gold (Au), 300 VAC / 60 VAC, 300 VDC / 60 VDC, 10 – 8 AWG, 5 – 8 mm² Wire, 10382 – 16507 CMA, Crimp, Copper Alloy, Power



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

TE Part # 1600960-1 CONT 8-10AWG PWR BLANK STRIP

Customers Also Bought









1-1600960-7

Receptacle Contact, Gold (Au), 300 VAC / 60 VAC, 300 VDC / 60 VDC, 10 – 8 AWG, 5 – 8 mm² Wire, 10382 – 16507 CMA, Crimp, Copper Alloy, Power



TE Part #AKA020N00390113000 TE Part #AGC052N00001100000 623 receptacle angled rotatable 623 extension, speedtec

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1600960-7_D1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1600960-7_D1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1600960-7_D1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

Product Specifications Application Specification

English