



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Shield & Strain Relief**
Cable Exit Angle: **45°**
Primary Product Material: **Carbon Steel**
Number of Positions: **104**
Operating Temperature (Max): **150 °C [302 °F]**

Features

Product Type Features

Connector Cover Type	Shield & Strain Relief
----------------------	------------------------

Configuration Features

Number of Positions	104
---------------------	-----

Body Features

Cable Exit Angle	45°
Primary Product Material	Carbon Steel

Mechanical Attachment

Thread Size	4-40
-------------	------

Dimensions

Product Width	29.08 mm[1.145 in]
Product Length	72.26 mm[2.845 in]
Compatible Cable Diameter Range	25.4 mm[1 in]
Product Height	60.32 mm[2.375 in]

Usage Conditions



Operating Temperature (Max)	150 °C[302 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer






This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series

AMP M Series



Customers Also Bought





Documents

Product Drawings
M-SERIES HALF SHIELD KIT
English

CAD Files
Customer View Model
ENG_CVM_202169-1_K2.3d_igs.zip
English
Customer View Model
ENG_CVM_202169-1_K2.3d_stp.zip
English
Customer View Model
ENG_CVM_202169-1_K2.2d_dxf.zip
English
3D PDF
English

Customer View Model
ENG_CVM_CVM_202169-1_L.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_202169-1_L.3d_stp.zip
English
Customer View Model
ENG_CVM_CVM_202169-1_L.2d_dxf.zip
English
3D PDF
3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages
M_SERIES_PIN_AND_SOCKET_CONNECTORS
English

Instruction Sheets
Instruction Sheet (U.S.)
English



SHIELD & CABLE CLAMP FOR 104 POSITION CENTER FASTENER CONNECTOR

English

Agency Approvals

Agency Approval Document

English